



































## Système d'ancrage CK

### Index des produits



## Index des produits

Désignation	[kg]	No. article	Désignation	[kg]	No. article
Tirant 15,0 FA brut par m'	1,44	<b>781-301.000</b>	Ancrage ondulé 15,0 FA brut 0,55 m	0,79	<b>781-310.055</b>
Tirant 15,0 FA par m', galv.	1,44	<b>781-302.000</b>	Ancrage ondulé 15,0 FA brut 0,67 m	0,96	<b>781-310.067</b>
Tirant 15,0 FA 0,50 m, galv.	0,72	<b>781-302.050</b>			
Tirant 15,0 FA 0,90 m, galv.	1,30	<b>781-302.090</b>			
Tirant 15,0 FA 1,25 m, galv.	1,80	<b>781-302.125</b>			
Tirant 15,0 FA 1,50 m, galv.	2,16	<b>781-302.150</b>			
Tirant 15,0 FA 1,75 m, galv.	2,52	<b>781-302.175</b>			
Tirant 15,0 FA 2,00 m, galv.	2,88	<b>781-302.200</b>			
					
ck-Plaque à écrou articulé 15,0 d = 120 mm, galv.	1,65	<b>781-328.120</b>	Boucle d'ancrage 15,0 FA brut 0,55 m	1,87	<b>781-314.045</b>
					
Plaque de serrage 15,0 d = 130 mm, galv.	1,19	<b>781-327.130</b>	Support en V 15,0 45°, galv.	0,42	<b>781-314.200</b>
					
Plaque 15,0 120 x 120 x 10 mm, galv.	1,04	<b>781-316.120</b>	Douille expansible 15,0 pour roche et béton	0,34	<b>781-160.200</b>
Plaque 15,0 150 x 200 x 10 mm, galv.	2,26	<b>781-316.150</b>			
			Pare-eau 15,0 avec décrochement d = 26mm	0,56	<b>781-330.100</b>
					
Ecrou à embase 15,0 d = 70 mm, galv.	0,44	<b>781-328.130</b>	Raccord 15,0 pour tube PVC en fibre d = 26 mm	0,01	<b>781-330.105</b>
					
Ecrou 6-pans 15,0 l = 50 mm, galv.	0,20	<b>781-322.050</b>	Extracteur pour tirant 15,0 / 20,0	2,00	<b>781-390.110</b>
Ecrou 6-pans 15,0 l = 50 mm, noir	0,20	<b>781-322.051</b>			
Ecrou 6-pans 15,0 l = 70 mm, galv.	0,30	<b>781-322.071</b>			
Ecrou 6-pans 15,0 l = 70 mm, noir	0,30	<b>781-322.070</b>			
					
					
Manchon de raccord 15,0 l = 100 mm, galv.	0,43	<b>781-326.100</b>	Tirant en acier 1,00 m DW15, galv.	1,50	<b>782-100.100</b>
			Tirant en acier 1,25 m DW15, galv.	1,75	<b>782-100.125</b>
					

Désignation	[kg]	No. article	Désignation	[kg]	No. article
Plaque combinée DW15 d = 120 mm, galv.	1,00	<b>782-100.010</b>	Ancrage ondulé 20,0 FA brut 0,70 m	1,79	<b>781-410.070</b>
					
Bande perforée coffrage de fondations (roul. 25 m)	17,50	<b>782-110.050</b>	Boucle d'ancrage 20,0 FA brut 0,60 m	3,94	<b>781-414.060</b>
					
Serrage pour fondation, galv.	6,20	<b>782-110.045</b>	Support en V 20,0 45°, galv.	0,43	<b>781-414.200</b>
					
Tirant 20,0 FA brut par m'	2,56	<b>781-401.000</b>	Pare-eau 20,0 avec décrochement d = 31 mm	1,39	<b>781-430.100</b>
Tirant 20,0 FA per m', galv.	2,56	<b>781-402.000</b>			
Tirant 20,0 FA 0,90 m, galv.	2,30	<b>781-402.090</b>	Vis d'ancrage TITAN M24/D15x160	0,73	<b>781-340.160</b>
Tirant 20,0 FA 1,25 m, galv.	3,20	<b>781-402.125</b>	Vis d'ancrage TITAN M24/D15x280	1,08	<b>781-340.280</b>
Tirant 20,0 FA 1,50 m, galv.	3,84	<b>781-402.150</b>			
Tirant 20,0 FA 1,75 m, galv.	4,48	<b>781-402.175</b>	Clé pour vis d'ancrage TITAN M24	2,61	<b>781-340.300</b>
Tirant 20,0 FA 2,00 m, galv.	5,12	<b>781-402.200</b>			
			Tige de serrage pour ancrage à vis M24, galv.	0,60	<b>781-188.215</b>
Plaque de serrage 20,0 d = 130 mm, galv.	1,80	<b>781-428.140</b>			
			Plaque d'arrêt M24, en GFK, plateau d = 48 mm	0,01	<b>781-188.225</b>
Ecrou 6-pans 20,0 l = 60 mm, galv.	0,34	<b>781-422.060</b>			
			Bouchons d'extrémité PVC blanc	0,01	<b>781-188.230</b>
Manchon de raccord 20,0 l = 110 mm, galv.	0,63	<b>781-426.110</b>			
					



**CONRAD KERN AG**

**Administration centrale**

Althardstrasse 147  
CH-8105 Regensdorf  
T +41 44 870 65 65

**Succursale Regensdorf**

Althardstrasse 147  
CH-8105 Regensdorf  
T +41 44 870 65 40

**Succursale Sursee**

Grenadierstrasse 2  
CH-6210 Sursee  
T +41 41 926 95 95

**Succursale Ecublens**

Ch. Champs-Courbes 12  
CH-1024 Ecublens  
T +41 21 694 33 77

**Succursale Cresciano**

In Bola 5  
CH-6705 Cresciano  
T +41 91 863 36 86