

Tobler[®]
Scaffolding. Formwork.



MATOS

Safety.
Swiss Technology.

**The safe way to
get higher faster.**

**The safe way to
get in form faster.**





The very best for your safety.

Better safe than sorry!

MATO S stands for our complete range of safety equipment. These products help to prevent accidents and protect people and property.

Our programme focuses on our broad range of safety nets and sheeting.

Safety nets and accessories.

MATO S safety and protective nets meet the current requirements of the SN EN 13374 SUVA regulations and are suitable for use in construction, erection and excavation work, and for overhead, catenary and underground work.

The nets have a mesh size of 100 mm and are made of UV/IR resistant PP fibre cord. The edges are reinforced with a strong peripheral cord, 12mm thick. The nets have thimble loops every 2.5 m along the sides and in the corners.

A range of services which leaves no prayer unanswered.

We want to provide you with outstanding scaffolding systems and faultless, comprehensive service. We believe that customer satisfaction means much more than just the correct, punctual execution of your order. We aim to be your competent partner for all questions and services to do with professional scaffolding.

Research and development

We are prepared to reinvent the wheel every day in order to stay successful. Standing still means going backwards. This applies in our industry too. For this reason we put a lot of time, money and effort into research into new technologies and the further development of existing systems. Our solutions are intended not only to help you today, but to guarantee you the greatest possible benefit and safety in the future too!

Customer-specific solutions

Another of our strengths is the development of customer-specific solutions. Qualified designers, structural engineers and draughtsmen are happy to work out individual solutions in close cooperation with you.

Comprehensive restoration and repair service

We have many years' experience of restoration and repair of commercially-available scaffolding systems. Various factors determine whether it is worth repairing faulty scaffolding. Talk to us first!

Old for new

Is your old scaffolding making your labour costs too high – Is your scaffolding no longer making a profit? We have the right solution, whether a change of system or modernisation of your existing scaffolding system.

Professional maintenance depot takeover

We purchase your used scaffolding and formwork systems and take your entire maintenance depot inventory off your hands. Benefit from attractive part exchange offers when switching to the MATO system. We'll be pleased to provide you with further information.



Rentals

Do you need formwork quickly and at low cost? We have a large rental park. Just ask us.

Machines

We have the following machines to hire for your needs:

- Board cleaning machine
- Board test machine
- Eyelet press

Further information can be found in our flyer at:

www.tobler-ag.com

Used items

We also deal in used scaffolding and formwork. We'll be glad to advise you and make you a fair buyback offer.

Labelling and theft

Secure your material against theft. We label or engrave all material according to your ideas with lettering and logo.

Training courses and workshops

Benefit from our individual training courses and workshops in cooperation with Polybau and Gebäudehülle Schweiz.

CAD-Pro scaffolding software

Draw the MATO 1 scaffolding diagrams for your building sites in a simple manner. The software also directly creates the material lists for printing. Contact us.

Finance

We and our banking partner shall be happy to make individual, practical suggestions.

Contents

from A to Z



Table of contents



Belt ties	Page 12
Building site fence net type 90	Page 11
Carabiners	Page 15
Continuous chain mesh, type 200T	Page 12
Fence and privacy net UV type 155	Page 11
General-purpose sheets	Page 9
Grandstand net type 150 FR	Page 11
Helmets	Page 17
Net and toe board retainer	Page 12
Safety sheeting	Page 15
Safety nets and accessories	Page 14
Safety signs	Page 16
Scaffolding sheeting	Page 9
Scaffolding protection	Page 14
Scaffolding protection net	Page 10
Sheet retainer systems	Page 13
Special adhesive tape	Page 15



**High-rise building,
Rorschacherberg**

MATO S – The safety assortment




Scaffolding sheeting

- Reinforced scaffolding sheeting, 220 g/m²
- Please ask about volume discounts

Length in m	Width in m	Weight in kg	Order no.
20	1.40	6.4	*S-710140
20	2.40	11.0	*S-710240
20	2.70	12.5	S-710250
20	3.20	15.3	S-710300
20	4.10	19.6	S-710400

* not held in stock



General-purpose sheets

- Woven PE fabric
- Coated on both sides
- Metal eyelets every 0.5 or 1 m respectively
- Reinforced edge
- UV resistant
- White or green, 250 g/m²

Length in m	Width in m	Weight in kg	Order no.
3	4	2.6	*S-715510
4	6	5.3	*S-715514
5	6	6.6	*S-715518
6	8	10.6	*S-715522
6	10	13.2	*S-715526
8	10	17.6	*S-715530
8	12	21.1	*S-715534
10	15	33.0	*S-715538

* not held in stock



* all non-stock articles: Direct delivery to customer possible. Delivery time 1–2 workdays (without logo printing).

MATO S – The safety assortment

Scaffolding protection net

- All nets with stable buttonhole overstitching
- Please ask about volume discounts
- Type 37 raschel netting
- Woven PE fabric, approx. 37 g/m²
- Wind permeability approx. 60%

Length in m	Width in m	Order no.
100	2.5	S-720250
100	3.0	S-720300
100	4.0	S-720400
100	5.0	S-720500



Type 37

- Type 40 ECO-NET
- PE monofilament fabric, 42 g/m²
- Wind permeability approx. 70%
- Mesh size 10 × 3 mm

Length in m	Width in m	Order no.
100	2.5	S-722250
100	3.0	S-722300
100	4.0	S-722400




Type 40

- Type 50 MATO net
- PE monofilament fabric, 50 g/m²
- Wind permeability approx. 65%
- Mesh size 8 × 3 mm

Length in m	Width in m	Order no.
100	2.5	*S-724250
100	3.0	*S-724300
100	4.0	*S-724400

* not held in stock



- Type 55 RAFIA NET
- Woven PE fabric, 55 g/m² (also printable)
- Wind permeability approx. 50%
- Mesh size 8 × 3 mm
- Choice of colours: also in white, green, blue, red, yellow and orange

Colour	Length in m	Width in m	Order no.
black	100	2.57	*S-728250

* not held in stock



Type 55

- Type 230 MESH
- Perforated PVC, 340 g/m² (also printable)
- Wind permeability approx. 10%
- Mesh size 3 × 1 mm
- Full-surface digital print in photographic quality (suitable for megaposters)
- Also available in fire retardant quality B1–5.1

Colour	Length in m	Width in m	Order no.
white	3.40	1.75	*S-736175

* not held in stock



Type 230



Building site fence net type 90, printed

- Woven PE fabric, approx. 90g/m²
- Wind permeability approx. 30%
- Base colour: white
- Upper and lower edge with buttonhole over stitching
- Plate print, print distance: approx. 4 m
- 100 m = goods sold by the roll

Colours	Length in m	Width in m	Order no.
1-colour	3.40	1.85	*S-736185
2 to 4-colour	3.40	1.85	*S-736186
1-colour	100	1.85	*S-736187
2 to 4-colour	100	1.85	*S-736188

* not held in stock




Type 90

Grandstand net type 150 FR

- Fire class B1-5.1
- PE fabric, 150g/m²
- Wind permeability approx. 20%
- Mesh size 4 × 1 mm

Colour	Length in m	Width in m	Order no.
black	50	2.57	*S-727250
black	50	4.0	*S-727400

* not held in stock



Type 150

Fence and privacy net UV type 155

- UV resistant, dimensional tolerance +/- 3%
- Woven PE fabric, 150 g/m²
- Wind permeability approx. 12%
- Mesh size 4 × 2 mm
- Choice of colours: white, dark green, blue, red, yellow, orange, grey, black

Length in m	Width in m	Order no.
50	1.80	S-737050




Type 155

MATO S – The safety assortment

Continuous chain mesh, type 200T

- Faster and simpler to mount (no additional pipes required)
- With integrated rope hem
- Has been subjected to the dynamic test in accordance with SN EN 13374
- Made of UV-resistant plastic

Colour	Length in m	Height m	Weight in kg	Order no.
orange	8.0	2.0	4.2	S-735008
orange	13.0	2.0	6.8	S-735013
orange	25.0	2.0	13	S-735025



- 1 Guard rail post
- 2 Guard-rail
- 3 Toe board
- 4 Net holder
- 5 Continuous chain mesh
- 6 Belt ties



Type 200T

Net and toe board retainer

- Steel, for board widths 60/64 cm
- To fit continuous chain mesh type 200T (S-735008 to 735025)

Length in m	Width in m	Weight in kg	Order no.
0.66	6	1.3	S-730001



Belt ties

- Also possible with logo print (min. order quantity 3,000 pcs / delivery time 2–3 months)
- 100 pieces per pack

Length in cm	Order no.
35	S-750030
160	S-750160





Sheet retainer systems

- Net/cable ties, 100 pieces per pack

Qty / pack	Length mm	Width mm	Order no.
11,000	300	4.8	S-750012
4,500	370	7.6	S-750014



- Flexible toggle binders, 100 pieces per pack

Qty / pack	Length mm	Order no.
1'000	300	S-750020



- Green retaining clip, for retaining nets and sheets

Order no.
S-750024



- Sheet joiner, 100 pieces per pack

Article	Order no.
blue, one-piece	S-750026
green, two-piece	S-750028



- Plugs, 100 pieces per pack

Length mm	Order no.
40	S-754030
60	S-754032
80	S-754034



- Scaffolding rawlplugs, 100 pieces per pack

Length mm	Width mm	Order no.
70	14	S-754010
100	14	S-754012
140	14	S-754014



MATO S – The safety assortment

Scaffolding protection

- Pole end cap
- Yellow

Order no.
S-756010

- Coupling protector
- Yellow

Order no.
S-756012

- Pole reflector
- Yellow

Order no.
S-756014

- Ground reflector
- Yellow

Order no.
S-756016



Safety nets and accessories

- Safety nets, knot-free

Length in m	Width in m	Order no.
10.00	5.00	S-740010
15.00	7.50	S-740014
10.00	10.00	S-740018
20.00	7.00	S-740020



- Safety nets, knot-free, further dimensions per m²

Order no.
S-740000

- Net joiner: Net joining cord per m

Order no.
S-742000

- Safety net suspension system: Polyamide tie rope

Length in m	Order no.
1.50	S-742150
2.50	S-742250

- Safety net suspension system: Polyamide tie rope per m

Order no.
S-741000





Special adhesive tape

- Adhesive repair tape
- Acrylic tape, adhesive on one side, with 4-ply separating foil
- Waterproof and water-repellent
- UV resistance

Pcs / carton	Colour	Length in m	Width in cm	Order no.
10	white	25	6	S-710005



Carabiners

- Aluminium safety carabiners for fastening safety nets, breaking strength in longitudinal direction approx. 22 kN, DIN 7944

Ø Diameter in mm	Length mm	Order no.
12	116	S-743010

- Fire service carabiners for fixing protective side nets, breaking strength approx. 10.3 kN, galvanised, C-DIN 5299

Ø Diameter in mm	Length mm	Order no.
11	120	S-743012




Safety sheeting

- Safety sheet, PVC
- DIN 75 200, 670 g/m²
- flame retardant

Length in cm	Width in cm	Order no.
75	75	S-760001

Length in cm	Width in cm	Order no.
75	153	S-760002



MATO S – The safety assortment

Safety signs


- Signs with load information
- L × W: 60 × 40 cm
- Yellow

Language	Order no.
German	S-760011
French	S-760012
Italian	S-760013



- Signs with load information
- L × W: 60 × 40 cm
- White

Language	Order no.
German	S-760021
French	S-760022
Italian	S-760023



- Signs with steel frame and mount
- L × W: 60 × 40 cm
- Yellow

Language	Order no.
German	S-760111
French	S-760112
Italian	S-760113





- Signs with steel frame and mount
- L × W: 60 × 40 cm
- White

Language	Order no.
German	S-760121
French	S-760122
Italian	S-760123



- Small auxiliary sign 300/450 kg/m²
- White

Length in cm	Width in cm	Order no.
25	15	S-760310



- Steel frame for safety sign
- with screw coupling

Length in cm	Width in cm	Order no.
60	40	S-760212



Helmet, Petzl Vertex® Vent

- High wearing comfort
- Ventilation hole with sliding shutters
- The six-point textile suspension guarantees an ideal fit
- With CENTERFIT and FLIP & FIT, which guarantee that the helmet fits securely
- DUAL chinstrap with adjustable strength
- Shock absorption through deformation of the outer shell
- Certifications: CE, EN 397, EN 12492, ANSI Z89.1 Type I Class C, EAC
- Available in seven colours: white, yellow, red, black, orange, blue and green
- Also available in two high-visibility versions: yellow and orange

Material	Head circumference in cm	Weight in g	Order no.
ABS, polyamide, polycarbonate, high-strength polyester, polyethylene	53–63	490	S-780020



Helmet, Petzl Strato Vent

- Lightweight and comfortable design
- Two-part liner for reduced weight
- With ventilation hole
- The six-point textile suspension guarantees an ideal fit
- With CENTERFIT and FLIP & FIT, which guarantee that the helmet fits securely
- DUAL chinstrap with adjustable strength
- Shock absorption through deformation of the outer shell
- Certifications: CE, EN 12492, ANSI Z89.1 Type I Class C, EAC
- Available in four colours: white, yellow, red and black
- Also available in two high-visibility versions: yellow and orange

Material	Head circumference in cm	Weight in g	Order no.
ABS, EPP, EPS, polyamide, polycarbonate, high-strength polyester, polyethylene	53–63	415	S-780010



**St. Florin's
Cathedral,
Vaduz**



General Terms and Conditions of Business (T&Cs) as at 1 January 2013

These T&Cs govern legal relationships between Tobler AG (hereinafter referred to as TOBLER) and its contracting partners (hereinafter referred to as Client) arising from the sale, rental and assembly of scaffolding, formwork and the corresponding accessories. They constitute a framework contract applicable to the conclusion of all contracts and are binding until revoked.

1. Tender and conclusion of the contract

- 1.1. Tenders, goods and services will be provided by TOBLER solely on the basis of these T&Cs, which will be deemed to have been accepted when the goods or services are ordered. The T&Cs will also expressly apply to all future orders by the Client.
- 1.2. A contract will be concluded when TOBLER accepts a written, telephone or personal order unconditionally.
- 1.3. Verbal assurances by TOBLER will only be valid if confirmed in writing and signed.
- 1.4. TOBLER will only be bound by the Client's general terms and conditions of business if they correspond to its own or if it has agreed to them in writing. Divergent conditions of the Client which TOBLER has not expressly recognised in writing will not be binding upon it.

2. Technical documents

- 2.1. Prospectuses, catalogues, etc. will not be binding in the absence of any agreement to the contrary. Details in technical documents will only be binding if they are expressly guaranteed in writing.
- 2.2. The right to make technical modifications is reserved. Differences from the prospectus or from details in other sales documents or from earlier deliveries in terms of configuration, weights and measurements of the goods will only be relevant if the intended purpose of the goods is restricted to a significant extent.
- 2.3. The final potential configuration is expressly reserved, particularly in the case of new designs or special configurations.
- 2.4. TOBLER will be entitled to supply equivalent unbranded parts from subcontractors.

3. Terms of payment

- 3.1. In the absence of any agreement to the contrary, payment must be made to TOBLER within thirty days, strictly net. The Client will be entitled to deduct a prompt payment discount of 2% for payment within ten days of the date of the invoice. Further deductions will only be admissible if expressly agreed in writing. Unjustified deductions will be charged retrospectively.
- 3.2. In the case of arrears, the Client will be liable for 7% p.a. interest on arrears with effect from the due date of payment, without a reminder from TOBLER.
- 3.3. The absence of minor parts from the order or the assertion of claims under guarantee against TOBLER will not entitle the Client to delay payments due.
- 3.4. Payment of the entire purchase price or the balance thereof will be due immediately if acceptance is delayed by the Client. The Client must bear the cost of any demurrage by the transport contractor.
- 3.5. Should the deposit not be paid or the requisite security not be provided in accordance with the contract, TOBLER will be entitled to uphold or cancel the contract and demand compensation in either case.

4. Delivery terms

- 4.1. In the absence of any agreement to the contrary, the place of fulfilment will be TOBLER's registered office in Rheineck.
- 4.2. Despatch and carriage are for the account and at the risk of the Client. The Client will be responsible for insurance against loss of any type whatsoever. The Client must bear any customs duty payable.
- 4.3. Pallets and crates are only made available on loan. The Client must return them at its own expense, otherwise TOBLER will invoice their cost.
- 4.4. Delivery will be made at the time desired by the Client, as far as possible. Notified or agreed delivery periods and times will be observed as far as possible, but are not binding. Should delivery be delayed for reasons for which TOBLER is not responsible (force majeure, import or transport problems, delay by third-party suppliers, changes subsequently demanded by the Client, etc.), the delivery date will be postponed accordingly.
- 4.5. A failure to observe the delivery deadline will not entitle the Client to cancel the contract, delay acceptance or demand compensation for delay.
- 4.6. Should it be impossible to provide goods and services in the foreseeable future due to events over which TOBLER has no control, TOBLER will be entitled to cancel the contract by notifying the Client, without incurring liability for compensation.
- 4.7. If the Client has been informed that the goods ordered are ready for despatch or collection, it will be obliged to collect or arrange delivery of the goods within five working days of notification. The Client will be in arrears of acceptance after this deadline has expired. In the event of arrears of acceptance, the Client will be obliged to compensate TOBLER for losses thus incurred. In this case, TOBLER will be entitled to retain the delivery at the expense and risk of the Client, store it on its premises, charging an appropriate fee, or cancel the contract, with payment of compensation for the loss incurred by TOBLER. Delayed acceptance will be deemed to apply if the Client unjustifiably refuses to accept the consignment due to delays in delivery. Even if TOBLER retains the goods or stores it on its premises, it will be entitled to cancel the contract at any time, without notice and without setting a period of grace, and to demand repayment of the loss which it has incurred.

5. Transfer of risk

- 5.1. The risk applicable to the deliverable will be transferred to the Client when the consignment leaves TOBLER.

6. Complaints

- 6.1. The Client must inspect the goods and assembly work immediately after receipt and execution.
- 6.2. It must notify TOBLER of any shortcomings in writing within three days, otherwise the goods and services will be deemed to have been approved.

7. Guarantee under the purchase agreement

- 7.1. In the case of new products (with the exception of timber, spare parts, tarpaulins, nets, any plastic components, small parts such as screws, nuts, etc., and mountings such as cables and tarpaulin ties), TOBLER will issue a guarantee to the Client for six months with effect from despatch of the consignment from TOBLER, provided that examination and notification take place punctually in accordance with paragraph 6. Liability for particular product characteristics will only be accepted if guaranteed in writing by TOBLER. Differences attributable to production or material will not give rise to entitlement to a guarantee. Moreover, the guarantee will lapse if the Client or an authorised agent of the Client makes modifications or repairs to the goods without the written agreement of TOBLER.
- 7.2. Any guarantee whatsoever for used items is precluded. No guarantee will apply to installed parts from third-party suppliers or if installed parts from third-party suppliers cause a fault or damage, or inhibit operation.
- 7.3. The guarantee may be restricted to repair or replacement of the defective parts, at TOBLER'S discretion. Further claims under guarantee by the Client, particularly for redhibition, reduction or damages, are precluded.
- 7.4. Replaced parts are the property of TOBLER and must be returned to it.
- 7.5. Repair work or the supply of replacements will not extend or renew the period under paragraph 7.1. The guarantee period applicable to the original delivery will apply to the repaired or replaced parts.
- 7.6. TOBLER will be entitled to refuse to rectify defects for as long as the Client fails to fulfil its obligations to TOBLER, without restriction.

- 7.7. TOBLER rejects any guarantee for damage attributable to normal wear and tear, inappropriate or violent handling, excess stress, inappropriate use and maintenance of the items, the use of unsuitable materials, accidents or force majeure.
- 7.8. Only TOBLER may carry out repairs to scaffolding components. Otherwise any claim under guarantee will lapse.

8. Reservation of title under the purchase agreement

- 8.1. TOBLER will remain the proprietor of the item purchased until the purchase price, including interest and any other costs, has been paid in full. The Client is obliged to inform any tenant of premises on which it accommodates the item purchased of the reservation of title in writing, before storing it.
- 8.2. The Client authorises TOBLER to register retention of title with the responsible authority.
- 8.3. The Client may not sell, pledge, loan or rent the purchased item until full payment of the purchase price, including all interest and costs, has been made. The Client also undertakes not to remove the purchase item from Swiss territory without the express written agreement of TOBLER. The Client must disclose the reservation of title immediately in the case of pledging, retention or seizure, and inform TOBLER in writing whenever possible, before the corresponding measure is taken.
- 8.4. The Client is obliged to cooperate with measures necessary to protect TOBLER'S property, at its own expense.
- 8.5. The Client is obliged to insure the purchased item against all likely risks at its own expense to the benefit of TOBLER, throughout the term of retention of title. The Client must submit a corresponding certificate of insurance on demand. Should the Client fail to comply with this requirement, TOBLER will be entitled to subscribe to insurance for its own benefit, at the expense of the Client.

9. Provisions specific to rental

- 9.1. Rent will always be net of carriage to and from the place of use. The costs of carriage will be charged separately, if it is arranged by TOBLER.
- 9.2. The Client is obliged to notify any tenant on whose premises it accommodates the rented goods of TOBLER'S rights of ownership in writing, before placing it there.
- 9.3. The benefit and risk associated with the rented goods will be transferred to the Client no later than at the time at which it can dispose of said goods, i.e. either when the rented goods are transferred to the Client or a third party appointed by the latter at TOBLER'S warehouse or when the rented goods are unloaded on site, if the Client has commissioned TOBLER with carriage. If delivery to an unoccupied building site is ordered, TOBLER will not assume any guarantee for the integrity and completeness of the delivery.
- 9.4. The Client must treat the rented goods with care and maintain them properly. The Client will be invoiced and must pay for damage and excessive wear attributable to inappropriate use of the rented goods. Formwork must be used as economically and carefully as possible and not cut. In particular, all formwork must be treated with release agent before concreting. Formwork beams must not be truncated under any circumstances. The greatest possible care must be taken when compressing concrete poured into the formwork, in order not to damage it.
- 9.5. All rented goods must be returned in a clean condition when the rental period ends. Otherwise the costs of subsequent cleaning will be invoiced to the Client. The Client is responsible for return carriage, which must take place at its own expense. The rented goods must be prepared for unloading so that they can be lifted easily by crane. A separate charge will be imposed for any work necessary for unloading, such as rearrangement, etc.
- 9.6. The rental charge for formwork does not include consumables (spacing tubes, plugs, tapers, release agent, etc.). When handling the elements, care must be taken that their wooden parts are not scratched (e.g. by sharp edges and corners of other elements). Particular care must be taken not to damage elements when cleaning them. Following use, the formwork must be placed on the pallets and in the crates provided. Small parts must be boxed. A separate charge will be made for any cleaning, sorting and repair work which may be necessary. Lost small parts must be replaced.
- 9.7. The rented goods will be made available for the agreed term. Should the Client be in arrears of payment of the rent or should it handle the rented goods carelessly or contrary to instructions, TOBLER will be entitled to cancel the rental agreement immediately and repossess the rented goods. In this case, the costs of return carriage will be invoiced to the Client separately. The Client will also be obliged to pay compensation for premature termination of the rental agreement. In particular, TOBLER must be placed in the position which it would have enjoyed had the rental agreement remained in force for the entire anticipated rental term. In this case, TOBLER will not be obliged to ensure the re-rental of the goods throughout the remainder of the anticipated rental term.
- 9.8. Should no firm rental agreement term be anticipated or should the Client continue to use the rented goods beyond the contractual term originally intended, both parties will be entitled to terminate the rental agreement at any time, subject to observance of a fourteen-day period of notice.

10. Static calculations

- 10.1. The prices do not include static calculations. They will be invoiced additionally at the request of and in accordance with the requirements of the Client.

11. Prohibition of assignment and offsetting

- 11.1. The Client is not entitled to offset claims by TOBLER against its own claims unless TOBLER has expressly agreed to offsetting in writing.
- 11.2. The Client is prohibited from assigning claims arising out of the contractual relationship with TOBLER to third parties.

12. Preclusion of further liability

- 12.1. Any claims by the Client, with the exception of those expressly identified in these terms and conditions, on any legal basis whatsoever, particularly any claims for compensation, reduction or cancellation of the contract which are not expressly stipulated, are precluded. Under no circumstances will the Client be entitled to claim compensation for damage which does not affect the delivered item itself, such as loss of production, loss of use, orders, profit or other direct or indirect losses.

13. Amendments and liability









- 13.1. TOBLER reserves the right to amend these T&Cs at any time. The Client will be notified of amendments by circular letter or in another suitable way. They will be deemed to have been accepted unless a written objection is received within one month.

14. Copyright








- 14.1. TOBLER retains unrestricted title to drafts, drawings, etc. which it has prepared. They may not be copied or rendered accessible to third parties without TOBLER'S permission.
- 14.2. The imitation of goods, even if for exclusive personal use, will be subject to prosecution under criminal law.
15. Applicable law and court of jurisdiction
- 15.1. All legal relationships between the Client and TOBLER are governed by Swiss law, to the exclusion of the UN Convention on Contracts for the International Sale of Goods.
- 15.2. The sole place of jurisdiction for any proceedings and the place of recovery, but only for Clients with a foreign domicile (Article 50(2) of the Swiss Debt Recovery and Bankruptcy Act), is the domicile of TOBLER in Rheineck. However, TOBLER is entitled to pursue the Client before the responsible court at the latter's domicile or place of residence, or before any other responsible court.

ASSORTMENT

MATO scaffolding systems and accessories

 MATO 1	Façade scaffoldings
 MATO 2	Façade scaffoldings
 MATO 8	Module scaffoldings
 MATO Z	Scaffolding accessories
 MATO R	Rolling scaffolding
 MATO N	Temporary roof systems
 MATO S	Safety
 MATO B	Building accessories

Tobler formwork systems and accessories

 Tobler Top	Wall formwork
 Tobler Manu	Hand-set formwork
 Tobler Deck	Slab formwork
 Tobler Flex	Props & beams
 Tobler Bau	Building accessories
 Tobler Rent	Rental park
 Tobler Care	Refurbishment

As a full-range supplier of scaffolding and formwork systems, we are your competent partner for all questions concerning the professional construction of scaffolding and formwork. Innovation as well as top quality standards and unique functionality characterise our wide range of products. Apart from our standard assortment, we also develop customer-specific solutions – from the planning and engineering through to the production.



Tobler[®]
Scaffolding. Formwork.