










Ancoranti per casseforme















Descrizione dei prodotti



Descrizione dei prodotti

Descrizione	[kg]	Nr. articolo
Tirante 15,0 FA grezzo per ml	1,44	781-301.000
Tirante 15,0 FA per ml, zinc.	1,44	781-302.000
Tirante 15,0 FA 0,50 m, zinc.	0,72	781-302.050
Tirante 15,0 FA 0,90 m, zinc.	1,30	781-302.090
Tirante 15,0 FA 1,25 m, zinc.	1,80	781-302.125
Tirante 15,0 FA 1,50 m, zinc.	2,16	781-302.150
Tirante 15,0 FA 1,75 m, zinc.	2,52	781-302.175
Tirante 15,0 FA 2,00 m, zinc.	2,88	781-302.200
		
Piastra snodata 15,0 d = 120 mm, zinc.	1,65	781-328.120
		
Piastra combinata 15,0 d = 130 mm, zinc.	1,19	781-327.130
		
Piastra appoggio 15,0 120 x 120 x 10 mm, zinc.	1,04	781-316.120
Piastra appoggio 15,0 150 x 200 x 10 mm, zinc.	2,26	781-316.150
		
Dado a flangia 3-ali 15,0 d = 70 mm, zinc.	0,44	781-328.130
		
Dado 15,0 l = 50 mm, zinc.	0,20	781-322.050
Dado 15,0 l = 50 mm, nero	0,20	781-322.051
Dado 15,0 l = 70 mm, zinc.	0,30	781-322.071
Dado 15,0 l = 70 mm, nero	0,30	781-322.070
		
Giunto a manicotto 15,0 l = 100 mm, zinc.	0,43	781-326.100
		

Descrizione	[kg]	Nr. articolo
Ancoraggio ondul. 15,0 FA grezzo 0,55 m	0,79	781-310.055
Ancoraggio ondul. 15,0 FA grezzo 0,67 m	0,96	781-310.067
		
Anello d'ancoraggio 15,0 FA grezzo 0,55 m	1,87	781-314.045
		
Pezzo ancoraggio a V 15,0 45°, zinc.	0,42	781-314.200
		
Ancoraggio per roccia 15,0 mm	0,34	781-160.200
		
Sbarramento acqua 15,0 con attacc. d = 26 mm	0,56	781-330.100
		
Manicotto di raccordo 15,0 PVC/fibracimento d = 26 mm	0,01	781-330.105
		
Chiave per svitare tirante 15,0 / 20,0	2,00	781-390.110
		
Tirante in acciaio 1,00 m DW15, zinc.	1,50	782-100.100
Tirante in acciaio 1,25 m DW15, zinc.	1,75	782-100.125
		

Descrizione	[kg]	Nr. articolo	Descrizione	[kg]	Nr. articolo
Piastra universale DW15 d = 120 mm, zinc.	1,00	782-100.010	Ancoraggio ondul. 20,0 FA grezzo 0,70 m	1,79	781-410.070
					
Nastro perforato per fondazioni (rotolo da 25 m)	17,50	782-110.050	Anello d'ancoraggio 20,0 FA grezzo 0,60 m	3,94	781-414.060
					
Morsetto per fondazioni, zinc.	6,20	782-110.045	Pezzo d'ancoraggio a V 20,0 45°, zinc.	0,43	781-414.200
					
Tirante 20,0 FA grezzo per ml	2,56	781-401.000	Sbarramento acqua 20,0 con attacc. d = 31 mm	1,39	781-430.100
Tirante 20,0 FA per ml, zinc.	2,56	781-402.000			
Tirante 20,0 FA 0,90 m, zinc.	2,30	781-402.090	Ancoraggio a vite TITAN M24/D15x160	0,73	781-340.160
Tirante 20,0 FA 1,25 m, zinc.	3,20	781-402.125	Ancoraggio a vite TITAN M24/D15x280	1,08	781-340.280
Tirante 20,0 FA 1,50 m, zinc.	3,84	781-402.150			
Tirante 20,0 FA 1,75 m, zinc.	4,48	781-402.175	Chiave per ancoraggio a vite TITAN M24	2,61	781-340.300
Tirante 20,0 FA 2,00 m, zinc.	5,12	781-402.200			
			Bullono di supporto per ancor. a vite M24, zinc.	0,60	781-188.215
Piastra combinata 20.0 d = 130 mm, zinc.	1,80	781-428.140			
			Ranella di supporto M24 GFK d = 48 mm	0,01	781-188.225
Dado 20,0 l = 60 mm, zinc.	0,34	781-422.060			
			Tappo in PVC bianco	0,01	781-188.230
Giunto a manicotto 20,0 l = 110 mm, zinc.	0,63	781-426.110	